
## Vacuum Products | Dimensions | Technical Specifications

## MBC/MLK Boom Mounted Single 4-Port - 30° Angled Input Port

#### Features: • 30° And


#### Specifications: Material: Aluminum

.



30° Angled input port.
Provides a 4-port air distribution system mount on the boom.





#### **MBC/MLK** Dimensions

Model	А	В	С	D	F	G	Н	Т	Weight
CPI-MLK-60-G44-30	108.0	87.9	60.3	73	88.9	3/8 G	1/4 G	Ø60MM	340g
[CPI-MBC-250-4-4-30]	[4.25]	[3.46]	[2.38]	[2.88]	[3.50]	[3/8 NPT]	[1/4 NPT]	[Ø2.50″]	[12 oz]




## Vacuum Products | Dimensions | Technical Specifications


### MBC/MLK Boom Mounted Single 4-Port

Specifications: Material: Aluminum


#### Features:


- Provides a 4-port air distribution system mount on the boom.
- Available in two sizes to allow clamping to Ø40mm [Ø1.50"] and Ø60mm [Ø2.50"] materials.











#### **MBC/MLK** Dimensions

Model	А	В	С	D	E	F	G	Н	Т	Weight
CPI-MLK-40-G44	88.9	64.3	52.5	48.5	36.7	64.3	12.9	114.5	Ø40MM	283g
[CPI-MBC-150-4-4]	[3.50]	[2.53]	[2.07]	[1.91]	[1.44]	[2.53]	[.51]	[4.51]	[Ø1.50″]	[10 oz]
CPI-MLK-60-G44	104.1	87.9	58.4	73	42.5	88.9	39.7	118.4	Ø60MM	340g
[CPI-MBC-250-4-4]	[4.10]	[3.46]	[2.30]	[2.88]	[1.67]	[3.50]	[1.56]	[4.65]	[Ø2.50″]	[12 oz]


Dimensions and technical information are subject to change without notice

EE-VAC | 54



Vacuum Products | Dimensions | Technical Specifications


### MBC/MLK Boom Mounted Double 8-Port





- Features:
- Provides an 8-port (4 ports on top and bottom) air distribution system mount on the boom.
- Available in two sizes to allow clamping to Ø40mm [Ø1.50"] and Ø60mm [Ø2.50"] materials.

### Specifications:

Material: Aluminum







#### **MBC/MLK** Dimensions

Model	А	В	С	D	E	G	Н	Т	Weight
CPI-MLK-40-G88	105.1	64.3	52.5	48.5	36.8	3/8 G	1/4 G	Ø40MM	425g
[CPI-MBC-150-8-8]	[4.14]	[2.53]	[2.07]	[1.91]	[1.45]	[3/8 NPT]	[1/4 NPT]	[Ø1.50"]	[16 oz]
CPI-MLK-60-G88	117.6	87.9	58.8	73.0	42.9	3/8 G	1/4 G	Ø60MM	510g
[CPI-MBC-250-8-8]	[4.63]	[3.46]	[2.32]	[2.88]	[1.69]	[3/8 NPT]	[1/4 NPT]	[Ø2.50"]	[18 oz]



Dimensions and technical information are subject to change without notice


## Vacuum Products | Dimensions | Technical Specifications


### **MBC** Boom Mounted Single 6-Port


#### Specifications: Material: Aluminum


Features:


- Provides a 6-port air distribution system mounted on the boom.
- Easy access.














Vacuum Products | Dimensions | Technical Specifications


## GDA/MBB Block Style for Remote Mounting



Material: Aluminum

Model	Weight
CPI-GDA-M24-37327	.23 kg [.56 lb]








Material: Aluminum



## Vacuum Products | Dimensions | Technical Specifications



Dimensions and technical information are subject to change without notice

EE-VAC 58

